

# MOTORISED CURTAIN FITTINGS

Manufacturing Relationships  
Distributing Quality



# CURTAIN MOTOR



## DC Curtain Motor BCM100D

Originality Quality  
Curtain Motor Give You Easy Life




### Technical Parameters

Rated Torque	Rated Voltage	Rated Consumption	Max Load	Radio Distance	IP
1NM	AC110V~230V	45W	50 KG	>50M	IP20

NO.	Size	Track Length (mm)	Track Connector (mm)	Adjustable Track					Suitable Size (M) (Wall To Wall)
				Track Length (mm)			Track Connector (mm)		
				1000	100	500	200	100	
1	2.2m	1	1	1	2	1	1	1	Under 2.2m
2	3.2m	2	2	1	2	1	1	1	2.2m-3.2m
3	4.2m	3	3	1	2	1	1	1	3.2m-4.2m
4	5.2m	4	4	1	2	1	1	1	4.2m-5.2m
5	6.2m	5	5	1	2	1	1	1	5.2m-6.2m
6	7.2m	6	6	1	2	1	1	1	6.2m-7.2m
7	8.2m	7	7	1	2	1	1	1	7.2m-8.2m

Note: 1.500mm,200mm,100mm tracks are adjustable track, 200mm,100mm are track connectors  
2.Optional accessories:Side mounting brack, 90°angle

## SMART MOTORISED CURTAIN



"DIOS" INTRODUCES AUTOMATED CURTAIN SYSTEM.

PRESS A BUTTON ON THE REMOTE AND OPEN OR CLOSE THE CURTAIN WITHOUT GETTING UP !  
PROTECT YOUR PRIVACY OR ENJOY THE OUTSIDE BEAUTY OR CREATE THE RIGHT MOOD.

PRODUCT INFORMATION:

- MOTORIZED CURTAIN TRACK SYSTEM FOR CONTRACT AS WELL AS RESIDENTIAL USE.
- THE OPTIONAL OF WIRELESS REMOTE CONTROL INCLUDING HANDSET AND WALL SWITCH.
- EASY CEILING OR WALL FITTING.
- NOT SUITABLE FOR POP WALLS
- WHITE IN COLOUR
- CAN TAKE WEIGHT UPTO 50 KGS
- SIZE : UPTO 1.1-5.1 MTRS

## FEATURES:

### 1. REASONABLE PRICE & ADVANCED TECHNOLOGY

MUCH LOWER PRICES THAN PRODUCTS OF THE SAME KIND SEEN IN MARKET.

### 2. PLUG & PLAY

INSTALLATION & SETUP VERY SIMPLE

### 3. SIDE OR CENTRAL OPENING

OPEN CURTAIN FROM MIDDLE TO SIDES OR FROM ONE SIDE TO ANOTHER.

### 4. LIGHT TOUCH START

LIGHTLY PULL ON THE CURTAIN TO ACTIVATE THE MOTION.

### 5. MANUAL OPERATION

CURTAINS CAN BE SMOOTHLY HAND DRAWN IN CASE OF POWER FAILURE.

### 6. PREFERRED CURTAIN POSITION

EASY USER SETUP OF ANOTHER STOP POSITION FOR CURTAIN OTHER THAN FULLY CLOSED OR OPEN.

### 7. SMOOTH & SILENT

SOUND OF MOVING CURTAIN IS NOT DISTRACTING. LINEAR SPEED IS 11 CM/SEC.



**MSME**  
MICRO, SMALL & MEDIUM ENTERPRISES  
सूक्ष्म, लघु एवं मध्यम उद्यम

UDYAM-MH-19-0138181



BRAND OF

**IMPERIAL**  
HARDWARE

SHOP No. 4, GROUND FLOOR, GOKULDHAM CHS,  
32, KIKA STREET, GULAWADI, MUMBAI 400004.

EMAIL: [WEASSIST@DIOSINDIA.IN](mailto:WEASSIST@DIOSINDIA.IN)

WEBSITE: [WWW.DIOSINDIA.IN](http://WWW.DIOSINDIA.IN)

CONNECT WITH US



@ DIOS.INDIA